



25 20 10	70 50 40 35 30	80	100 95 90	200 180 150	280 250	300	350	360 420	650 600	850 800	1200 1000	2000 1600 1500	3200 3100 3000 2600 2500	4500 3700	5500	8000 7500 6800	STM C
ø38-ø40 ø42 ø50 ø48	ø60 ø65 ø50	ø80	ø90 ø100	ø90 ø100													RN1-LN1 RN2 RN3 RN4
B40x36	B58x53	B70x64	B80x74	B80x74													RD
ø60 ø65 ø50	ø60 ø65 ø50	ø80	ø90														MN1 MN2-LN2 MN3 MXN1 MXN2
B58x53	B58x53	B70x64	B80x74														MXD MD-LD
ø38 ø42 ø50 ø48	ø60 ø65 ø50	ø80	ø90 ø100	ø90 ø100	ø110 ø120												TN1 TN2 TN3 TN4
B40x36	B58x53	B70x64	B80x74	B80x74	B100x94 W120x3												TD
				ø90 ø100 ø100	ø110 ø120												HN1 HN2 XN1 XN2
				B100x94 B80x74	B100x94 W120x3												XD HD
								ø120 ø140 ø140	ø120 ø140 ø140	ø160 ø170	ø180	ø200	ø230	ø290	ø340	ø340	SN1 SN2 SBN1 SBN2
								W120x3 W120x3	W120x3 W120x3	W150x5 W170x5	W170x5	W200x5	W220x5	W280x8	W340x8	W340x8	SBD SD
																	SQ
																Only 7500-8000	SFD
ø38 ø42 ø50 ø48	ø60 ø65	ø80	ø90	ø90 ø100								ø585	ø655	ø730	ø730	ø800	PN1 PN2 PN3 PN4
B40x36	B58x53	B70x64	B80x74	B80x74													PD
				ø90 ø100 ø100	ø110 ø120												PHN1 PHN2 PXN1 PXN2
								ø120 ø140 ø140	ø120 ø140 ø140	ø160 ø170	ø180	ø200	ø230	ø290			PSN1 PSN2 PSBN1 PSBN2
				B80x74 B100x94	B100x94 W120x3									ø290			PHD PXD PSD PSBD
								W120x3 W120x3	W120x3 W120x3	W150x5 W170x5	W170x5	W200x5	W220x5	W280x8 W280x8			



N - Male keyed shaft
D - Male spined shaft
Q - Male square shaft
FD - Drivewheel flange



N - Male keyed shaft
D - Male spined shaft


25 20 10	70 50 40 35 30	80	100 95 90	200 180 150	280 250	300	350	360 420	650 600	850 800	1200 1000	2000 1600 1500	3200 3100 3000 2600 2500	4500 3700	5500	8000 7500 6800	STM C
ø35	ø50	ø65	ø75														FC
	ø65	ø80	ø90	ø100	ø110												FCB
A40x36	A58x53	A70x64	A80x74														F
	A58x53																FP
A40x36	A58x53	A70x64	A80x74	A80x74	A100x94	N120x3											FS
																	FSB
																	FSR
		A70x64	A70x74														FB
ø50	ø75	ø90	ø100	ø120													FU
				ø120	ø130	ø135											TU
				ø120	ø130	ø135											HU
							ø145	ø145	ø165	ø180	ø220	ø240	ø260	ø290	ø310	ø350	SU



C - keyed shaft












-(CD) - Spined shaft






U - Shrink disc











Accessories






Output Shafts


Radial Loads














Axial Loads











Load correction factor















Accessories




**Output
Shafts**



SD



B 40x36
DIN5482






SD



Accessories



Output Shafts



SD

B 40x36
DIN5482

2.6 Kg




300












SD











Accessories




























Accessories






































**Output
Shafts**



SD

5.5 Kg

B 58x53
DIN5482


300



SD



Accessories



SD

5.5

B 58x53
DIN5482




300

SD









Accessories




mm
C










**Output
Shafts**









**Output
Shafts**






Output Shafts


Radial Loads






Axial Loads




Load correction factor







FD





ID






FF




BD






Output Shafts


Radial Loads








Axial Loads






Load correction factor






CT26 IGBD 2.0 **EX Series**



Output Shafts


Radial Loads












Axial Loads






Load correction factor







**Output
Shafts**



SD

8.2 Kg

B 70x64
DIN5482



300






SD



Accessories



Output Shafts



SD

8.2 Kg

B 70x64
DIN5482



300

SD






Accessories

mm
C



Output Shafts



SD

8.2 Kg

B 70x64
DIN5482




300


SD








Accessories

mm
C



















Output Shafts




Accessories




Output Shafts


Radial Loads














Axial Loads














Load correction factor
























Output Shafts





Output Shafts





SD

B 80x74
DIN5482

10.9 Kg



300

SD







Accessories



mm
C










**Output
Shafts**






















**Output
Shafts**
















Accessories








Accessories




Output Shafts


Radial Loads











Axial Loads














Load correction factor













Accessories












Output Shafts



SD

B 80x74
DIN5482

10.9 Kg




300



SD










Accessories








mm
C













Accessories



Accessories





**Output
Shafts**



BRS







BRD


CU



Accessories

mm
C





SD

B 100x94
DIN5482

17.2 Kg

300



SD




Accessories

mm
C











BRS

BRD


CU



Accessories




Radial Loads









Axial Loads










Load correction factor










Output Shafts





Accessories









BRS







BRD







CU










mm
C











SD

W 120x3x30x38
DIN5480

25.1 kg



300



SD











Accessories



mm
C













Radial Loads















Axial Loads














Load correction factor




















**Output
Shafts**





**Output
Shafts**



SD

W 140x5x30x26
DIN5480

33.4 Kg



300



SD










Accessories







mm
C



















SD










SD









Accessories









Accessories






Radial Loads











Axial Loads














Load correction factor























SD





SD







Accessories







mm
C









Output Shafts





























**Output
Shafts**













Output Shafts








Accessories







**Output
Shafts**

ECE


Input
Version

ECR


IEC

4 Input
Shaft






ECE 1 2 3 4 5 B




ECR 0 1 2 3 4 B



IEC 9 9 17 17 26



SD






SD



Accessories

mm
C



Output Shafts

ECE


Input
Version

ECR


IEC

4 Input
Shaft







ECE 1 2 3 4 5 B





ECR 0 1 2 3 4 B



IEC 90B5 100B5 112B5 132B5 160B5 180B5 200B5 225B5




EXB



710.5 12004 738


BRS

83.5 Kg



BRD

76.2 Kg



BRD

BRS

BRD

BRS

BRD

BRS

BRD

BRS

BRD

BRS

BRD

BRS

Accessories

ECE


Input
Version

ECR





IEC

4 Input
Shaft

ECE 1 2 3 4 5 B



ECR 0 1 2 3 4 B




4

710.5 12004 748

Kg


BRS

83.5 Kg



BRD



76.2 Kg






CU


Ms 840 Nm

M24 10.9



Accessories






ID

N 200x5x30x38 9H


DIN5480

7


[illegible]

On request

FF



BD






On request

FF

ID


BD

Accessories



Output Shafts


Radial Loads





Axial Loads

- 41733 >
N Fa
< 146048 -

Load correction factor





ECE


Input
Version

ECR





IEC

4 Input
Shaft

ECE 1 2 3 4 5 B



ECR 0 1 2 3 4 B



4


726.5

15004 1055

Kg


BRS

140 Kg



BRD



120 Kg



BRD

BRS

Accessories



**Output
Shafts**

ECE


Input
Version

ECR





IEC

4 Input
Shaft

ECE 1 2 3 4 5 B



ECR 0 1 2 3 4 B




4


726.5

15004 905

Kg



SD





On request

SD



Accessories

mm
C



**Output
Shafts**

ECE


Input
Version

ECR


IEC

4 Input
Shaft




ECE 1 2 3 4 5 B



ECR 0 1 2 3 4 B



IEC 90B5 100B5 112B5 132B5 160B5 180B5 200B5 225B5




4

726.5


15004 905

Kg




BRS

140 Kg



BRD

120 Kg



BRD

BRS

Accessories

ECE


Input
Version

ECR





IEC

4 Input
Shaft

ECE 1 2 3 4 5 B



ECR 0 1 2 3 4 B




4

726.5


15004 970

Kg




BRS

140 Kg



BRD



120 Kg



CU



Ms 840 Nm

M24 10.9



Accessories

mm
C



ECE


Input
Version

ECR


IEC

4 Input
Shaft



ECE 1 2 3 4 5 B




ECR 0 1 2 3 4 B



IEC 9 9 17 17 26



EXB




4

735.75


16004 1085

Kg




BRS

140 Kg



BRD

120 Kg





BRD

BRS

Accessories

mm
C



Output Shafts

ECE


Input
Version

ECR


IEC

4 Input
Shaft






ECE 1 2 3 4 5 B




ECR 0 1 2 3 4 B



IEC 1 2 3 4 5 B



SD





On request

SD



Accessories

mm
C



**Output
Shafts**

ECE


Input
Version

ECR


IEC

4 Input
Shaft





ECE 1 2 3 4 5 B



ECR 0 1 2 3 4 B




IEC 132B5 120 170 170 184 189




735.75 → 16004 935

BRS



BRD





mm

C

BRD

BRS

Accessories



**Output
Shafts**

ECE


Input
Version

ECR


IEC

4 Input
Shaft



ECE 1 2 3 4 5 B




ECR 0 1 2 3 4 B



IEC 9 9 17 17 26



EXB




4

735.75


16004 940

Kg




BRS

140 Kg



BRD


120 Kg



CU

Ms 840 Nm

M24 10.9






CU

BRD

BRS


Accessories

mm
C




Output Shafts


Radial Loads










Axial Loads



Load correction factor







ECE


Input
Version

ECR






IEC

4 Input
Shaft

ECE 3 4




ECR 2 3 4 5 6 6 B A




BRS

140 Kg



BRD

120 Kg





BRD

BRS

Accessories

mm
C



**Output
Shafts**

ECE


Input
Version

ECR






IEC

4 Input
Shaft


ECE 3 4



ECR 2 3 4 5 6 B
A



SD





On request

SD



Accessories

mm
C



**Output
Shafts**

ECE


Input
Version

ECR






IEC

4 Input
Shaft

ECE 3 4




ECR 2 3 4 5 6 6 B
A




BRS

140 Kg



BRD

120 Kg




mm

C

BRD

BRS

Accessories



ECE


Input
Version

ECR





IEC

4 Input
Shaft

ECE 3 4



ECR 2 3 4 5 6 6 B A




4

846.75 → 20004 1125

171


BRS

140 Kg



BRD



120 Kg




CU

Ms 840 Nm


M24 10.9




Accessories




Radial Loads







Axial Loads



Load correction factor





ECE

4 Input Shaft 

ECE 3 4


Input
Version

ECR



ECR234

IEC

B5
B5
B5
B5
0B5
2B5

EXB


4



ID

N 220x5x30x42 9H


DIN5480



On request


[illegible]

FF



On request

BD





On request

FF

BD


Accessories



ECE

4 Input Shaft


ECE 3 4






Input Version

ECR

ECR 2 3 4 5 6 6 B A




IEC



25004 1750
26004 1750


BRS

194 Kg



BRD

160 Kg





mm

C

BRD

BRS

Accessories



**Output
Shafts**

ECE


Input
Version

ECR




IEC

4 Input
Shaft

ECE 3 4




ECR 2 3 4 5 6 B
A




941.25 **25004** 1550
941.25 **26004** 1550


kg




EXB



4



SD





On request

SD



Accessories

mm
C



Output Shafts

ECE


Input
Version

ECR




IEC

4 Input
Shaft

ECE 3 4




ECR 2 3 4 5 6 B
A



4


941.25
941.25

25004
26004
1550
1550
Kg




BRS

194 Kg



BRD

160 Kg





mm

C

BRD

BRS

Accessories



Output Shafts

ECE

4 Input Shaft

ECE 3 4





Input Version

ECR

ECR 2 3 4 5 6 B A


IEC

IEC 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000




BRS

194 Kg



BRD



160 Kg






CU

Ms 1250 Nm

M27 10.9




Accessories



Output Shafts


Radial Loads









Axial Loads

- 66260 >
N Fa
< 227633 -

Load correction factor







ECE


Input
Version

ECR




IEC

4 Input
Shaft


ECE 3 4



ECR 2 3 4 5 6 B
A




EXB



4


971.25 30004 1920
971.25 31004 1950

Kg




BRS

194 Kg



BRD

160 Kg





BRD

BRS

Accessories

mm
C



**Output
Shafts**

ECE

4 Input Shaft

ECE 3 4





Input Version

ECR


ECR 2 3 4 5 6 6 B

IEC

IEC 17 17 26 42 48



SD





On request

SD



Accessories

mm
C




**Output
Shafts**

ECE

4 Input Shaft


ECE 3 4






Input Version

ECR

ECR 2 3 4 5 6 B A




IEC




971.25 30004 1725
971.25 31004 1755
Kg

BRS



BRD





BRD

C

mm

BRS

Accessories



**Output
Shafts**

ECE

4 Input Shaft

ECE 3 4


Input Version

ECR


ECR 2 3 4 5 6 B A

IEC

IEC 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000



EXB




4

971.25
971.25

30004
31004


1795
1825

Kg




BRS

194 Kg



BRD


160 Kg



CU

Ms
1250 Nm

M27
10.9






CU

BRD

BRS


Accessories

mm
C



Output Shafts

Radial Loads




Axial Loads



- 66260 >

N **Fa**





< 66260 -

Load correction factor





non disponibile
not available
nicht verfügbar




EXB

non disponibile
not available
nicht verfügbar


ID

N 280x8x30x34 9H
DIN5480 7t

[illegible]

On request


FF



On request

BD

N280x8x30x34 9H
DIN5480








On request

FF



ID

BD

Accessories






non disponibile
not available
nicht verfügbar



EXB

**non disponibile
not available
nicht verfügbar**








**Output
Shafts**

EXB

non disponibile
not available
nicht verfügbar

SD  On request		SD 
		<u>Accessories</u>








Output Shafts

EXB

non disponibile
not available
nicht verfügbar














**Output
Shafts**

EXB

non disponibile
not available
nicht verfügbar








Output Shafts

Radial Loads




Axial Loads




- 71713 > **Fa** (N)

< 370659 -

Load correction factor




non disponibile
not available
nicht verfügbar




Output Shafts


Radial Loads



Axial Loads



Load correction factor




EXB

non disponibile
not available
nicht verfügbar


ID

N 280x8x30x34 9H
DIN5480 ← Zt -

[illegible]

On request


FF



On request

BD

N280x8x30x34 9H
DIN5480






On request

FF

ID


BD

Accessories



Output Shafts

Radial Loads




Axial Loads



- 71713 > **Fa**

< 370659 -

Load correction factor






non disponibile
not available
nicht verfügbar



EXB

**non disponibile
not available
nicht verfügbar**








**Output
Shafts**

EXB

non disponibile
not available
nicht verfügbar

SD  On request		SD  <u>Accessories</u>


mm
C





**Output
Shafts**

EXB


non disponibile
not available
nicht verfügbar








EXB


non disponibile
not available
nicht verfügbar






Output Shafts


Radial Loads



Axial Loads






Load correction factor







non disponibile
not available
nicht verfügbar






Output Shafts







EXB

**non disponibile
not available
nicht verfügbar**






**Output
Shafts**

EXB

**non disponibile
not available
nicht verfügbar**

SD





On request

SD



Accessories








Output Shafts

EXB


non disponibile
not available
nicht verfügbar








EXB


non disponibile
not available
nicht verfügbar





Output Shafts


Radial Loads



Axial Loads




- 83145 >
N Fa
<83145 -

Load correction factor






non disponibile
not available
nicht verfügbar





Output Shafts




EXB

non disponibile
not available
nicht verfügbar

ID


N 340x8x30x41 9H

DIN5480




On request

FF



On request

BD





On request

FF

ID


BD



Accessories



EXB

**non disponibile
not available
nicht verfügbar**








**Output
Shafts**

EXB

non disponibile
not available
nicht verfügbar


SD  On request		SD  <u>Accessories</u>






EXB

non disponibile
not available
nicht verfügbar











CT26 IGBD 2.0 **EX Series**

EXB

non disponibile
not available
nicht verfügbar






EXB


non disponibile
not available
nicht verfügbar

ID




On request

FF




On request

BD




On request

FF






Accessories



EXB

non disponibile
not available
nicht verfügbar






**Output
Shafts**

EXB

non disponibile
not available
nicht verfügbar

SD





On request

SD



Accessories








Output Shafts

EXB

non disponibile
not available
nicht verfügbar





**Output
Shafts**

EXB

non disponibile
not available
nicht verfügbar

